

Reigen Plus

Instruction for use Rigen Plus

Product Name: This product is registered under Rigen Plus brand name in the form of 30 capsules in a PET bottle with a Leaflet in the box.

Methionine and cysteine are amino acids that strengthen the structure of hair keratin, which ultimately enhances the strength and elasticity of the hair. These amino acid helps absorb selenium. Biotin improves and reduces hair loss.

Zinc is an important factor in the health and regeneration of damaged hair and skin. Copper is a stimulant of melanin production. Vitamin E and selenium are antioxidants such as zinc, which are effective substances against free radicals. Vitamin B6 and Vitamin B5 cause health and beauty of skin and hair and give them a special freshness. Folic acid is essential for growth and cell division of all organs in the the body.

D. L- Methionine: 250 mg
L- Cvsteine: 50 ma
Selenium: 50 mcg
Vitamin E: 7.5 mg
Zinc: 75 mg
Copper: 1 mg
Vitamin B5 (Calcium pantothenate): 9mg
Vitamin B6: 2 mg

Folic acid: 300 mcq
Biotin: 50 mcg

Indications:

- Helps enhance the growth and nutrition of skin, hair and nails.
- Help increase hair thickness
- Helps improve skin elasticity.
- Helps neutralize free radicals.

General guidelines:

The mentioned information is intended to increase your general knowledge, not substitute of your physician or nutritionist's diagnosis.

If you have a history of allergies to any of the components of the product, avoid using this product.

Follow your physician's instruction and do

not overdose of the product. If you need more information and any questions, and if you have a specific disease or allergy to any particular diet, consult your physician or pharmacist.

Pregnancy and breast-feeding:

This product should be used during breast- feeding and pregnancy under the supervision of physician

Warning:

This supplement is contraindicated in people who are allergic to (ZN) or any of the components of the product.

Precautions:

- Keep out of reach of children.
Do not use after expiry date.

Drug Interactions:

- Zinc (N) supplements reduce the absorption of copper, fluoroquinolones, iron, penicillamine and tetracycline Co-administration of calcium and Mg suspension may reduce product absorption.

Dosage and Administration:

Generally, dosage and administration should be defined by physician but the usual dose is as below: One tablet daily.

Adverse reaction:

Each product beside its effects may cause some undesirable effects, although all of these adverse reactions have not seen in a person.

Consult with physician or pharmacist if you experience any of the following adverse reactions.

If you take more than the recommended amount, you may experience dizziness, headache, nausea, vomiting and gastritis. Other side effects include metallic taste in the mouth, headache and drowsiness High doses of the product mav have an immunosuppressive effect

Storage conditions:

- Store below 30°C in the box and protect from light and humidity.

"The most important information of this product is mentioned in the leaflet and patient can consult with physician, pharmacist or nutritionist for more information."

**Rigen Plus
Tablet, licensed by:**

**Yaghoot Daroo Darman pharmaceutical
Co.**

Made in IRAN

Please send your Comments and Suggestions to:

Postbox: 1511765613

Email: customers@sepidteb.com

References:

- USP DI, Drug information for the health care professional 2007, pages: 1457-1459
- Natural Medicines Comprehensive Database: 2013 pages: 658-669, 1586-1593

Date of last revision:

October 2020

راهنمای مصرف قرص ریجن پلاس

نام فرآورده: قرص ریجن پلاس

این فرآورده با نام ویگروهپ به شکل ۳۰ عدد قرص در یک قوطی به همراه بروشور در جعبه عرضه میگردد.

نام فرآورده: این فرآورده با نام تجاری ریجن پلاس به شکل قرص اهسته رهش در بسته بندی ۳۰ عددی به دو صورت ۲ بلیستر ۱۵ عددی به همراه بروشور درون جعبه مقوایی عرضه میگردد.

متیونین و سیستین اسید آمینه هایی هستند که موجب تقویت ساختمان کراتین مو شده که در نهایت موجب استحکام و انعطاف پذیری مو می گردد. این اسید آمینه به جذب سلنیوم کمک می کند. بیوتین biotin موجب بهبود و کاهش ریزش موی سر می گردد. روی ZN عامل مهم در سلامت و بازسازی بافت آسیب دیده مو و پوست به حساب می آید مس CU محرک تولید ملانین است ویتامین E سلنیوم Se همچون روی ZN انٹی اکسیدان می باشند که مواد موثری بر ضد رادیکال های آزاد به حساب می آیند.

ویتامین B6, BS موجب سلامتی و زیبایی پوست و مو میگردد و طراوت خاصی به آنها می بخشند. اسید فولیک برای رشد و نمو و تقسیم سلولی تمام ارگان های بدن ضروری است.

دی ال متیونین: ۵۰ میلی گرم

ال ote: ۵۰ میلی گرم

سلنیوم: ۵۰ میکروگرم

ویتامین ای: ۷.۵ میلی گرم

روی ۷.۵ میلی گرم

مس: ۱ میلی گرم

ویتامین ب ۵ (کلسیم پانتنوتات): ۹ میلی گرم

ویتامین ب ۶: ۲ میلی گرم

فولیک اسید ۳۰۰ میکروگرم

دی بیوتین ۵۰ میکروگرم

موارد مصرف:

. کمک به تقویت رشد و تغذیه پوست، مو و ناخن.

. کمک به افزایش ضخامت مو.

. مک به بهبود الاستیسیته پوست.

. کمک به خنثی سازی رادیکال های آزاد.

راهنمایی های عمومی:

. اطلاعات، مندرج در این Bye Leal, به منظور

افزایش

اطلاعات عمومی شما می باشد و جایگزین

تشخیص پزشک یا توصیه های متخصص تغذیه

شما نیست.

. در صورت وجود سابقه حساسیت به هر یک از

اجزای فرآورده از مصرف آن خودداری فرمائید.

. طبق دس تور پزشک مصرف نموده و از افزایش

دوز مصرفی پرهیزید.

. در صورت نیاز به اطلاعات بیش تر و هرگونه

پرسش و اگر دچار بیماری خاص یا حساسیت به

هر نوع رژیم خاصی هستید با پزشک یا داروساز

خود مشورت نمایید.

مصرف در دوران شیر دهی و بارداری:

مصرف این فرآورده در دوران شیردهی و بارداری

می بایست تحت نظر پزشک صورت پذیرد.

مقدار و نحوه صحیح مصرف:

. به طور کلی مقدار و نحوه مصرف توسط پزشک

مشخص میگردد اما مقدار مصرف معمول این

فرآورده به شرح زیر است:

روزانه یک قرص میل شود.

هشدار:

مصرف این مکمل در افرادی که به روی (ZN) یا

هریک از اجزای فرآورده حساسیت دارد ممنوع است.

تداخلات دارویی:

. مکمل های حاوی روی (ZN) باعث کاهش جذب

مس، فلورو کینولون ها، آهن، پنی سیلامین و

تتراسایکلین می شود.

مصرف همزمان کلسیم و سوسپانسیون و IV ممکن

است جذب فرآورده را کاهش دهد.

در صورت مصرف سایر دارو ها با پزشک خود

مشورت نمایید.

عوارض جانبی:

. هر فرآورده به موازات اثرات درمانی ممکن است

باعث بروز بعضی عوارض ناخواسته نیز شود. اگرچه

همه این عوارض در یک فرد دیده نمیشود در صورت

بروز عوارض زیر با پزشک یا داروساز مشورت نمایید.

. در صورت مصرف بیش از مقدار توصیه شده

ممکن است دچار سرگیجه، سردرد تهوع و استفراغ و

گاستریت شود.

. سایر عوارض شامل طعم فلز در دهان، سردرد و

خواب الودگی است.

. مقادیر بالای فرآورده ممکن است عارضه سرکوب

کنندگی سیستم ایمنی را داشته باشد.

شرایط نگهداری:

. فرآورده را دور از نور و رطوبت، درون جعبه و در

دمای کمتر از ۲۰ درجه سانتی گراد نگهداری نمایید.